

Work Order ID 144263 -1

144263

Page 1

April 11, 2016 8:11:12 AM

Item ID: DSI 9464-011

Revision ID:

Item Name: Skidtube Tuning

Start Date: 4/11/2016 Start Qty: 1.00

Required Date: 4/19/2016 Req'd Qty: 1.00

Reference:

Approvals:

Process Plan:

Date: 201604 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

NR1

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr	Revision Nbr
D3955	A
DSI 9464	B

DAS
6
9-89

MW 16-04-19

100

Document Control

0.00

100

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP DSI 9464-011
CHG001

1 DAS
28
9-89

APR 19 2016

APR 17 2016

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

~~1~~ DAS
27
9-89

DAS
27
9-89

APR 19 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 144263

April 11, 2016 8:11:12 AM

144263

Page 2

Item ID: DSI 9464-011 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Skidtube Tuning
Start Date: 4/11/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 4/19/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC4- 100% Inspect kits for completeness Memo	0.00 0.00				1	DAS 28 9-89	APR 19 2016	
130 *130* Packaging Packaging	Memo Identify and pack for shipping as per PPP DSI 9464-011 Location : FG122	0.00 0.00				1	DAS 28 9-89	APR 19 2016	
140 *140* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00				MCS		APR 19 2016	2m 16/04/19

MCS APR 19 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

April 11, 2016 8:11:15 AM

144263

DSI 9464-011

Required Date: 4/19/2016

Required Qty: 1.00

IPP Rev:B as

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3955-041		Manufactured	No			110	Each	5.0000	2	2			DAS 6 9-89
D3955-041									**				DAS 27 9-89
Doubler Assembly	DAS 28 9-89												
				<u>Location</u>			<u>Loc Qty</u>			<u>Loc Code</u>			
				ST064			5						
					144063		5						DAS 6 9-89
D3955-3		Manufactured	No			110	Each	2.0000	2	2			DAS 6 9-89
D3955-3									**				DAS 27 9-89
Cover Plate													
				<u>Location</u>			<u>Loc Qty</u>			<u>Loc Code</u>			
				ST063			2						DAS 6 9-89
					134118		2						DAS 6 9-89
D3955-5		Manufactured	No			110	Each	0.0000	2	2			DAS 6 9-89
D3955-5									**				DAS 27 9-89
Plate	DAS 28 9-89												
D3955-7		Manufactured	No			110	Each	19.0000	6	6			DAS 6 9-89
D3955-7									**				DAS 27 9-89
Plate													
				<u>Location</u>			<u>Loc Qty</u>			<u>Loc Code</u>			
				ST064			19						DAS 6 9-89
					144062		19						DAS 27 9-89

APR 19 2016

Picklist Print

April 11, 2016 8:11:15 AM

Page 2

Work Order ID: 144263

144263

Parent Item: DSI 9464-011

DSI 9464-011

Parent Item Name: Skidtube Tuning

Start Date: 4/11/2016

Required Date: 4/19/2016

Start Qty: 1.00

Required Qty: 1.00

D3955-21

Manufactured No

110

Each

2.0000

2

2

D3955-21

Gasket

DAS
28
9-89

Location

Loc Qty

Loc Code

ST064

2

134121

2

**

144263

DAS
27
9-89

D3955-23

Manufactured No

110

Each

2.0000

2

2

D3955-23

Template

DAS
28
9-89

Location

Loc Qty

Loc Code

ST064

2

134122

2

**

144263

DAS
27
9-89

CR3212-4-04

Purchased

No

110

Each

319.0000

38

38

CR3212-4-04

Cherry Rivet

DAS
28
9-89

Location

Loc Qty

Loc Code

CCK005

100

m133077

100

LG001

40

m126534

40

ST320

179

m132317

17

m134365

162

**

76

APR 19 2016

DAS
27
9-89

Picklist Print

April 11, 2016 8:11:16 AM

Page 3

Work Order ID: 144263

144263

Parent Item: DSI 9464-011

DSI 9464-011

Parent Item Name: Skidtube Tuning

Start Date: 4/11/2016

Required Date: 4/19/2016

Start Qty: 1.00

Required Qty: 1.00

AN3-5A

Purchased

No

110

Each

382.0000

4

48

DAS
6
9-89

AN3-5A

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

FP001

26

m133686

2

m134055

24

ST350

356

m134055

56

m134502

300

DAS
27
9-89

AN3-6A

Purchased

No

110

Each

178.0000

4

48

DAS
6
9-89

AN3-6A

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

over003

75

M134630

75

ST349

103

M133932

1

M134055

102

DAS
27
9-89

AN3-7A

Purchased

No

110

Each

390.0000

4

48

AN3-7A

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

over003

350

m133694

100

m134606

250

ST349

40

m132763

34

m132803

6

DAS
6
9-89

DAS
27
9-89

APR 19 2016

April 11, 2016 8:11:16 AM

Shop Packet Print

Page 3

Picklist Print

April 11, 2016 8:11:16 AM

Page 5

Work Order ID: 144263

144263

Parent Item: DSI 9464-011

DSI 9464-011

Parent Item Name: Skidtube Tuning

Start Date: 4/11/2016

Required Date: 4/19/2016

Start Qty: 1.00

Required Qty: 1.00

MS21042L3

Purchased

No

110

Each

1,979.000

2

24

MS21042L3

Nut

**

DAS
27
9-89

DAS
6
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

FP001

100

m133790

100

GA

792

m133790

6

m134360

786

Return2016

1

M132382

1

ST304

1086

m134039

12




m134360

1074

24

APR 19 2016

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3955-041	DOUBLER ASSY
2	1	D3955-1	DOUBLER
3	1	MS21086L3	NUT PLATE
4	2	MS20427M3-3	RIVET



D3955-041 DOUBLER ASSEMBLY

D3955-1 DOUBLER

D3955-1 NOTES:

- 1) MATERIAL: 6061-T6 ALUMINUM, 0.063 THICK SHEET PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF. DART SPEC. M6061T6S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART ASSEMBLY P/N "D3955-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.25 lbs

REV.	DESCRIPTION	BY	DATE
A	NEW ISSUE	RF	09.07.21
DESIGN	DS		
DRAWN	RF		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.07.21		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA



DRAWING NO. **D3955** REV. A
SHEET 1 OF 5

TITLE **SKIDTUBE TUNING KIT** SCALE NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

20160411
SEA 144263
RELEASED
09/16/22

APPLY ANTI-SKID
ON ONE SIDE ONLY




D3955-3 COVER PLATE

RELEASED
09/07/21

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 0.060 (16 GA) THICK (REF. DART SPEC. M304S16GA)
- 2) FINISH: BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3955-3" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.64 lbs

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D3955	REV. A
MFG. APPR.			SHEET 2 OF 5
APPROVED		TITLE SKIDTUBE TUNING KIT	SCALE
DE APPR.			NTS
DATE	09.07.21	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3955-X PLATE


General Table			
P/N	T (in)	T (GA)	WEIGHT (lbs)
D3955-5	0.060	16	0.64
D3955-7	0.120	11	1.28

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, T (GA) THICK (REF. DART SPEC. M304ST*GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3955-X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: SEE TABLE


RELEASED
9/6/22 MJD

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3955	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE TUNING KIT	NTS
DATE	09.07.21	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



RELEASED
09/07/21

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3955	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE TUNING KIT	NTS
DATE	09.07.21	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:

- 1) MATERIAL: 6061-T6 ALUMINUM, 0.040 THICK SHEET PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF. DART SPEC. M6061T6S.040)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3955-23" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.16 lbs

RELEASED
09/07/21

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3955	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE TUNING KIT	NTS
DATE	09.07.21	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR CONSIDERED FOR ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DART SERVICE INSTRUCTION

TO AMEND:

INSTALLATION INSTRUCTIONS D205-634 REV. F OR EARLIER,
INSTALLATION INSTRUCTIONS D204-635 REV. F OR EARLIER,
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D205-634 REV. 3 OR EARLIER,
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D204-635 REV. 3 OR EARLIER

REF CANADIAN STC: SH96-88
REF FAA STC: SR00563NY
REF EASA STC: EASA.IM.R.S.01303

Purpose:

The Purpose of the DSI 9464-011 Kit is to allow operators to tune landing gear utilizing D205-634-041 / D204-635-041 skidtube in order to eliminate vibration. This kit consists of various weights that can be attached to the fwd cap of the Dart skidtube.

Procedure:

Note: Installer must be careful not to damage underlying skidtube during drilling operations.


- 1) Locate D3955-23 template on the fwd cap of the skidtube. Transfer drill 19 x Ø0.098" holes from the D3955-23 template to the skidtube cap using a #30 drill.
- 2) Transfer drill 1 x Ø0.625" (15.8 mm) from the D3955-23 template to the skidtube as shown in Figure 1.
- 3) Transfer drill 1 x Ø0.201" (#7 drill) from the D3955-23 template to the skidtube as shown in Figure 1.
- 4) Deburr the drilled holes in fwd cap. Ensure the top surface of the cap is clear of debris.
- 5) Apply a layer of Sikaflex-241/-291 or Proseal 890 or MIL-S-8802 Class B2 sealant between the D3955-041 Doubler and the existing skidtube cap. Install D3955-041 Doubler Assy. using 19 x CR3212-4-04 rivets as shown in Figure 1. The nutplate in the D3955-041 Doubler Assy should pass thru the Ø0.625 hole in the cap.
- 6) Install tuning plates as shown in Figure 2. Torque AN3 bolts 15-25 in-lb (1.7-2.8 N-m). Test the landing gear for vibration.
- 7) If vibration persists, repeat step 6 until vibration is eliminated.
- 8) Update Weight & Balance as outlined below.

Weight And Balance:

The weight and balance increase associated with the installation of the DSI 9464-011 kit will depend on the number of plates that are installed to tune the gear. The weight of individual plates are given in the Parts List Table. The longitudinal arm for the installation of the DSI 9464-011 kit is 40.0 in (1.02 m) on 205/210/212/214/412 models and 42.0 in (1.07 m) on 204 models.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.04.14
CERT. NO.: SH96-88
ISSUE NO.: 3

20160411 SA 144263

B	ADD REF TO D204-635	CP	10.04.14
A	NEW ISSUE	RF	09.07.21
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		DSI 9464	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE TUNING KIT	NTS
DATE	10.04.14	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




Figure 1

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.14
CERT. NO.: SH96-88
ISSUE NO.: 3

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9464	SHEET 2 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SKIDTUBE TUNING KIT	NTS
DATE	10.04.14	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Part List

Qty -011	Part Number	Description	Weight
X	DSI 9464-011	SKIDTUBE TUNING KIT	N/A
2	D3955-041	DOUBLER ASSEMBLY	0.25 lb/ 0.11 kg
2	D3955-3	COVER PLATE	0.64 lb/ 0.29 kg
2	D3955-5	0.063" THICK PLATE	0.64 lb/ 0.29 kg
6	D3955-7	0.125" THICK PLATE	1.28 lb/ 0.58 kg
2	D3955-21	GASKET	0.08 lb/ 0.04 kg
2	D3955-23	TEMPLATE	N/A
38	CR3212-4-04	RIVET	N/A
4	AN3-5A	BOLT	N/A
4	AN3-6A	BOLT	N/A
4	AN3-7A	BOLT	N/A
4	AN3-10A	BOLT	N/A
6	NAS1149D0332J	WASHER	N/A
2	MS21042L3	NUT (OR MS21042-3)	N/A




Figure 2

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.14
CERT. NO.: SH96-88
ISSUE NO.: 3

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	<i>gp</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	<i>N/A</i>	DSI 9464	SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SKIDTUBE TUNING KIT	NTS
DATE	10.04.14	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT			

REFERENCE ONLY

DAS
28
9-89

Part List

Qty -011	Part Number	Description	Weight
X	DSI 9464-011	SKIDTUBE TUNING KIT	N/A
2	D3955-041	DOUBLER ASSEMBLY	0.25 lb/ 0.11 kg
2	D3955-3	COVER PLATE	0.64 lb/ 0.29 kg
2	D3955-5	0.063" THICK PLATE	0.64 lb/ 0.29 kg
6	D3955-7	0.125" THICK PLATE	1.28 lb/ 0.58 kg
2	D3955-21	GASKET	0.08 lb/ 0.04 kg
2	D3955-23	TEMPLATE	N/A
38	CR3212-4-04	RIVET	N/A
4	AN3-5A	BOLT	N/A
4	AN3-6A	BOLT	N/A
4	AN3-7A	BOLT	N/A
4	AN3-10A	BOLT	N/A
6	NAS1149D0332J	WASHER	N/A
2	MS21042L3	NUT (OR MS21042-3)	N/A




Figure 2

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.14
CERT. NO.: SH96-88
ISSUE NO.: 3

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	DSI 9464	SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SKIDTUBE TUNING KIT	NTS
DATE	10.04.14	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	